

Notice of Allowability

Application No.

10/816,650

Examiner

Trinh T. Nguyen

Applicant(s)

STRICKLAND ET AL.

Art Unit

3644

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment dated 11/28/05.
2. ☒ The allowed claim(s) is/are 1-24.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment ~~or in the Office action of~~
~~Paper No./Mail Date _____.~~
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 12/1/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Dao on 2/1/06.

The application has been amended as follows:

In the Specification:

line 25 of page 4, --In one exemplary embodiment, the sliding tray incorporates tray rails that overlap and contact the base rails 200 on the chassis 104.-- has been inserted after "chassis.";

line 5 of page 5, --, also referred to as a second bar,'-- has been inserted after "A front or handle portion";

lines 5-6 of page 5, --or first bar 202-- has been inserted after "a rear rail";

line 6 of page 5, --, also referred to as one or more third bars-- has been inserted after "side rails 128";

line 12 of page 5, --The upper rim 132 may herein be referred to as a tray rail.-- has been inserted after "an upper rim 132 of the litter tray.".

In claim 8 (Currently amended):

line 9, --wherein the rake-- has been inserted after "by a third bar".

In claim 21 (Currently amended):

Art Unit: 3644

line 8, --wherein the enclosure-- has been inserted after "the removable litter tray";

line 10, "wherein the handle end-- has been inserted after "and a handle end";

line 12, "of the scooper" has been deleted;

line 13, --relative to the removable litter tray-- has been inserted after "the scooping end".

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant:

In the Drawing:

"FIG.2" has been amended to --FIG.2a--.

In FIG.2a, chassis 104 has been amended to show reference number 200 for base rail;

In FIG.2a, rake 122 has been amended to show reference number 202 for first bar.

In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Trinh T. Nguyen whose telephone number is (571) 272-6906. The examiner can normally be reached on M-F (9:30 A.M to 6:00 P.M).

Art Unit: 3644

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Teri Luu can be reached on (571) 272-7045. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Trinh T Nguyen
Primary Examiner
Art Unit 3644

2/2/06